

STEINER 
Nothing Escapes You

HUNTING

OUTDOOR

BIRDING

NAUTICAL

TACTICAL

LAW ENFORCEMENT



WHAT IT TAKES TO BE A STEINER



OVER 70 YEARS
OF PROVEN EXCELLENCE


BLASTED BY AN IED IN IRAQ... STILL WORKING

These binoculars came out charred and misshapen, armor and chassis disfigured by fire and impact - but still working with



OVER 72,000 STEINER M22 BINOCULARS

... served the U.S. military. When all is on the line, people and the world rely on Steiner.



WORLD-CLASS GERMAN ENGINEERING

In 1947, Karl Steiner started a one-man workshop in Bayreuth, Germany, obsessed with a single goal: creating optical products so functional, sturdy and uniformly flawless that nothing in the world could compare.



PRECISION MANUFACTURING

Steiner's state-of-the-art manufacturing facilities employ more than 460 high-precision manufacturing and inspection steps ensuring the highest quality product every time.

RAZOR-SHARP IMAGE CLARITY

100% IN-HOUSE OPTICS - Steiner grinds and polishes its own premium lenses and BaK4 prisms.

PROPRIETARY COATINGS - Steiner advanced lens coatings are applied to every air/glass surface to enhance light so your eyes perceive more contrast and brighter detail, even in low-light conditions.



ERGONOMIC DESIGN

Designed to maximize form and function, Steiner's binoculars and scopes are ergonomically perfect because the world never is.

LEGENDARY DURABILITY

Battle-proven technology is integrated into every Steiner product making them world-renowned for their toughness.



STEINER OPTICS **PRODUCT WARRANTIES**

The Steiner Heritage™ Warranty means we stand behind our products. Over half a century of experience building rugged and reliable, mil-spec product and supplying them to armed forces all around the world allows us to have this kind of confidence. We at Steiner are totally committed to the very highest standards of quality, dependability, and most of all customer satisfaction. Our Heritage™ Warranty assures you of that commitment.

STEINER HERITAGE™ WARRANTY - FOR THE LIFE OF THE PRODUCT

Covers Binoculars, Riflescopes, Rings, and Mounts.

Valid in U.S. and Canada only on items manufactured since 2014.

Products manufactured prior to 2014 are covered by the warranty as stated on the original packaging. For warranties in other countries, please visit www.steiner.de

We will repair or replace the product at no charge to you. The Steiner Heritage Warranty does not cover loss, theft, deliberate damage or cosmetic damage that does not hinder the performance of the product.

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Excludes electronic components which are covered by a 3-year warranty
- Excludes accessories.

To register your product online, visit the Binoculars and Riflescopes Warranty Registration page at <https://www.steiner-optics.com/optics-product-registration>

STEINER 2-YEAR WARRANTY

Covers all Night Vision Devices, Laser Aiming Solutions, Beacons and Battle Lights.

Valid in U.S. and Canada only.

For warranties in other countries, please visit www.steiner.de

For 2 years from the date of purchase, this warranty covers all laser, optical and electrical components, materials and workmanship.

Warranty is void if the product has been abused, misused, neglected, or disassembled prior to the return to the manufacturer.

To register your product online, visit the Laser Devices and Battle Lights Warranty Registration page.

<https://www.steiner-optics.com/optics-product-registration>

STEINER CUSTOMER SERVICE

Your Steiner optics are backed by a commitment to optimum performance and your complete satisfaction - today, every day, for generations to come. Any questions or concerns will be quickly addressed by experts at our national headquarters in Greeley, Colorado. Just call us at **970-356-1670 (888-228-7747 toll-free)** Monday through Friday from 8:00 AM to 5:00 PM MST. Or, email us at **info@steiner-optics.com**. To post ideas, comments or suggestions, go to our Facebook page. We always welcome your input.

HERITAGE



**WARRANTY
GENERATION
TO GENERATION**

PROPRIETARY LENS COATINGS



The combination of premium Steiner glass and proprietary lens coatings results in a viewing experience that is second-to-none. All lenses are multicoated, with a variety of specific coatings like the Diamond Night Marine® and Nano-Protection lens coatings that enhance light transmission and provide ultimate protection against dirt, dust and all of Mother Nature's element.

KNOW THE DIFFERENCE

PORRO PRISM DESIGN

Porro prism binoculars are extremely tough and dependable, creating sharp, clear images and 3D viewing even at long distances.

Always in Focus - with Sports-Auto-Focus™ everything stays in focus from 20-yards to infinity. Makes for easy onehanded operation and effortless low light viewing.



ROOF PRISM DESIGN

Roof prism binoculars are extremely light weight, compact and streamlined, making them easy to pack, carry, hold and use.



SUPERIOR RUBBER ARMORING



More commonly referred to as Buna-N or Nitrile rubber, NBR (Nitrile butadiene rubber) is a superior rubber armoring. Unlike many other rubbers, it has the ability to withstand oil, fuel, and

other chemicals. Another important advantage is that NBR rubber has an excellent resistance to heat aging and thus does not harden or lose its protective capabilities like natural rubber does. NBR characteristics do make an excellent choice as it should withstand dirty and greasy hands as well as being left out in the sun or in a hot car.

FOGPROOF & WATERPROOF

For absolute fogproof and waterproof protection, Steiner seals 14-psi pressurized dry nitrogen into its optics, ensuring premium clarity in any condition. Steiner's proprietary N2 Injection System® pressurizes optics with nitrogen and trace helium. If the seals are not completely tight, hyperbaric testing reveals escaping helium molecules, the optics are disassembled and the process is repeated.



WITHSTANDS 40 G'S OF IMPACT

Steiner's Makrolon® Housing combines an unbreakable polycarbonate frame with a NBR Long Life rubber armoring for a light weight and rugged chassis that can withstand 40 G's of impact. NBR Long Life rubber armoring is durable, slip-proof and noiseless to ensure a secure grip in all conditions.



BLUHORIZONS SERIES



WORLD'S FIRST SUNLIGHT ADAPTIVE BINOCULAR.

ALL THE ACTION WITHOUT A GLIMMER OF GLARE.

EXCLUSIVE AUTOBRIGHT™ OPTICS OFFSET DAZZLING LIGHT AUTOMATICALLY, FOR THE BEST VIEW UNDER THE SUN.

BLUHORIZONS 8X22

Tuck this 4-inch marvel into pack, pocket or purse on your way out, for glare-free viewing from 6.6 feet to infinity. Fast-Close Focus, rainproof and rugged, with versatile 8x magnification. It's the trimmest, lightest Sunlight Adaptive optic there is.



ITEM NO. S2043

BLUHORIZONS 10X26

10x AutoBright™ magnification eliminates glare, evaporates distance, and amps the fun of whatever you're doing. At just 10.6 ounces, you can take it everywhere. With powerful 10x magnification, you're close to the action anywhere.



ITEM NO. S2044

BLUHORIZONS OVERALL FEATURES

- UNIQUE AUTOBRIGHT™ ADAPTIVE LENS TECHNOLOGY CUTS THROUGH GLARE TO CAPTURE EVERY DETAIL
- PREMIUM OPTICS GIVE YOU A SHARP, CLEAR PICTURE EVERY TIME
- COMPACT, LIGHT WEIGHT AND TEXTURE-ARMORED TO GO ANYWHERE
- IDEAL FOR EVERY ACTIVE OUTDOOR LIFESTYLE, FROM SEASIDE TO SNOWFIELD



Exclusive AutoBright™ Technology
Automatically optimizes lens light transmission in bright conditions. No shimmer or glare from water, sand, snow, or sky. No squinting, guessing, or eye strain, just a perfect image.



Great Feel and Fast Focus
Grippy textured armor, ergonomic body and Fast-Close-Focus™ make clear viewing a pleasure. Wherever bright sun is an issue, you've got a clear solution.



Ergonomic eye cups
Soft silicone rubber cups surround your eyes, keeping side-light, wind, dust and glare from compromising a crisp, comfortable picture.

SPECIFICATIONS

	BLUHORIZONS SERIES	
	8x22	10x26
ITEM NUMBER	S2043	S2044
OBJECTIVE DIAMETER (MM)	22	26
MAGNIFICATION	8x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	410	321.5
FOCUSING SYSTEM	Fast-Close-Focus™	Fast-Close-Focus™
CLOSE FOCUS RANGE (FT.)	6.6	9.8
EXIT PUPIL (MM)	2.75	2.6
LUMINOSITY	7.56	12.4
TWILIGHT FACTOR	13.27	16.12
EYECUPS	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life
WATERPROOF	Rainproof IPX4	Rainproof IPX4
TEMPERATURE RANGE	-20°C to +70°C	-20°C to +70°C
WEIGHT (OZ.)	8.8	10.6
DIMENSIONS (IN.) (HxWxD)	4x4.6x1.8	4.5x4.6x1.8
NECK STRAP	Comfort	Comfort
NECK STRAP ATTACHMENT	Fixed	Fixed
OBJECTIVE COVER	No	No
RAIN PROTECTION CAP	No	No
CARRY CASE	Neoprene Outdoor	Neoprene Outdoor
WARRANTY	Heritage™ Warranty	Heritage™ Warranty

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.



We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

- See full warranty details at www.steineroptics.com/product-warranties
- No warranty card needed.
 - No receipt required.
 - Warranty is fully transferable to future owners of the product.
 - Electronic components are covered by a 3-year warranty.

Comes with the Steiner logo BluHorizon Bag.



STEINER
Nothing Escapes You

PEREGRINE SERIES



THE BIRDER'S BINOCULAR.



Phase coated optics
Provide bright, true color, sharp 3D images, and exceptionally fine detail for positive identification.



Fast-Close Focus
Delivers a razor-sharp image as close as 2 yards, letting you use a single optic for clear viewing at any distance.



Distance Control System
Lets you pre-set focus at a known distance, for a fast, clear view you can fine-tune with a quick wheel turn.

FINDING, FOLLOWING AND IDENTIFYING REQUIRES A SPECIALIZED BALANCE OF POWER, CLARITY, COLOR AND COMFORT. HERE IT IS.

PEREGRINE 8X42

Wide field of view, bright image and high image stability make finding and following faster and easier, even in low light. Versatile choice for all kinds of viewing.

ITEM NO. S2050



PEREGRINE 10X42

Higher 10x magnification reveals greater long-distance detail, making it ideal for viewing far-off subjects like raptors, waterfowl and wildlife, especially in open country.

ITEM NO. S2051



PEREGRINE 8X32

For a stylish lightweight, compact binocular with high performance and faster discovery— especially of moving birds and wildlife— take a close look at the 8x32 model.

ITEM NO. S2054



PEREGRINE 10X32

This versatile binocular is ideal for spotting at longer distances or viewing critical detail on nearby birds and wildlife. The Fast-Close-Focus system adjusts from six feet to infinity in two full turns of the wheel.

ITEM NO. S2055



SPECIFICATIONS

	PEREGRINE SERIES			
	8x42	10x42	8x32	10x32
ITEM NUMBER	S2050	S2051	S2054	S2055
OBJECTIVE DIAMETER (MM)	42	42	32	32
MAGNIFICATION	8x	10x	8x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	375	324	399	354
FOCUSING SYSTEM	Fast-Close-Focus	Fast-Close-Focus	Fast-Close-Focus	Fast-Close-Focus
OPTICS SYSTEM	Phase-Coated	Phase-Coated	Phase-Coated	Phase-Coated
CLOSE FOCUS RANGE (FT.)	6.6	6.6	6.5	6.5
EXIT PUPIL (MM)	5.25	4.2	4	3.2
LUMINOSITY	27.65	17.64	16	10.24
TWILIGHT FACTOR	18.33	20.49	16	17.89
EYECUPS	Ergonomic Rotary Eyecups	Ergonomic Rotary Eyecups	Ergonomic Rotary Eyecups	Ergonomic Rotary Eyecups
RUBBER ARMORING	NBR-Longlife	NBR-Longlife	NBR-Longlife	NBR-Longlife
WATERPROOF	Up to 9.84 ft.	Up to 9.84 ft.	Up to 9.84 ft.	Up to 9.84 ft.
WEIGHT (OZ.)	26.6	26.3	20.5	21.2
TEMPERATURE RANGE	-20° to +70° C	-20° to +70° C	-20° to +70° C	-20° to +70° C
DIMENSIONS (IN.) (HxWxD)	6.9x4.73x2.5	6.9x4.73x2.5	5x4.5x2.4	5x4.5x2.4
NECK STRAP	Neoprene	Neoprene	Neoprene	Neoprene
NECK STRAP ATTACHMENT	Universal	Universal	Universal	Universal
OBJECTIVE COVER	Yes	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes	Yes
CARRY CASE	Yes	Yes	Yes	Yes
WARRANTY	Heritage Warranty	Heritage Warranty	Heritage Warranty	Heritage Warranty

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.



We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

- See full warranty details at www.steineroptics.com/product-warranties
- No warranty card needed.
 - No receipt required.
 - Warranty is fully transferable to future owners of the product.
 - Electronic components are covered by a 3-year warranty.



HX SERIES



**MORE THAN
GAME FINDING.
GAME
CHANGING.**

PICK YOUR CHALLENGE, AND THERE'S AN HX TO MASTER IT. FROM DARK WOODS TO SUNLIT RIDGES, LOWLAND BOGS TO THE HIGH PLAINS. NEW OPTICAL APPROACHES AND FRAME DESIGNS PROMISE BRIGHTER, CLEARER IMAGES, EXTENDED FIELD OF VIEW, EASIER HANDLING, AND ALL-WEATHER TOUGHNESS BRINGS MORE SUCCESS TO EVERY HUNT.

HX SERIES OVERALL FEATURES

- BRIGHT, CRISP IMAGES
- WIDE FIELD OF VIEW
- FAST-CLOSE FOCUS™
- STEINER NANO PROTECTION®
- FOGPROOF & WATERPROOF DOWN TO 16 FEET

15X56 HX 15X56

Steiner's most powerful hunting binocular. Massive 15x magnification and larger objectives provide exceptional long-range clarity to spot and judge trophy animals on distant ridges. Tripod mountable to make remote views rock-steady; tripod adapters available.

ITEM NO. S2018



10X56 HX 10X56

Large 56 mm objectives gather extra light to penetrate shadows, pick out details, and brighten images, revealing hidden game that others miss.

ITEM NO. S2017



10X42 HX 10X42

HD optics, enhanced lens coatings and 10x magnification deliver bright images for dim light conditions and high detail at longer ranges. Ideal for wide open country and hilly regions.

ITEM NO. S2015



8X42 HX 8X42

Small enough for effortless carry, with a wide field of view to sweep distant terrain and put you on game faster. 8x magnification brings wildlife close and clear, perfect for bow hunting or eastern whitetail hunting where game is active at dawn and dusk.

ITEM NO. S2014



New Frame Design

The HX binoculars is easier to grip, more comfortable for extending scouting.



Nano-Protection®

Hydrophobic molecular coating creates a lens surface so smooth, water sheets off and dirt, dust are repelled.



Ergonomic Eyecups

Comfortable and protect your eyes against side light and drafts.



Fast-Close-Focus™

Central focusing wheel requires minimal rotation for quick, absolute sharpness from up close to infinity.

SPECIFICATIONS

	HX SERIES			
	8x42	10x42	10x56	15x56
ITEM NUMBER	S2014	S2015	S2017	S2018
OBJECTIVE DIAMETER (MM)	42	42	56	56
MAGNIFICATION	8x	10x	10x	15x
FIELD OF VIEW AT 1,000 YD. (FT.)	377	326	332	241
FOCUSING SYSTEM	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™
OPTICS SYSTEM	High Definition	High Definition	High Definition	High Definition
CLOSE FOCUS (FT.)	6	6	8	8
EXIT PUPIL (MM)	5.25	4.2	5.6	3.7
LUMINOSITY	27.6	17.6	31.7	13.9
TWILIGHT FACTOR	18.3	20.5	23.7	28.9
COMPASS	-	-	-	-
EYECUPS	Ergonomic	Ergonomic	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 10 ft.	Submersion to 10 ft.	Submersion to 10 ft.	Submersion to 10 ft.
WEIGHT (OZ.)	27.7	28	42.3	44.1
DIMENSIONS (IN.) (HxWxD)	5.8 x 4.9 x 2.6	5.8 x 4.9 x 2.6	7.1 x 5.6 x 3.1	7.1 x 5.6 x 3.1
NECK STRAP	Neoprene	Neoprene	Neoprene	Neoprene
NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®	ClicLoc®	ClicLoc®
OBJECTIVE COVER	Yes	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes	Yes
CARRY CASE	Yes	Yes	Yes	Yes
BATTERY	-	-	-	-
SPECIAL FEATURES	Steiner Nano Protection®	Steiner Nano Protection®	Steiner Nano Protection®	Steiner Nano Protection®
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.



We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steineroptics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.



PREDATOR SERIES



GERMAN
PRECISION
MEETS
AMERICAN
UTILITY.



CAT™ Lens Coatings
Amplifies contrast in the peak human vision sensitivity range, to spot game in any environment.



Fast-Close-Focus™
Central focusing wheel requires minimal rotation for quick absolute sharpness from close-up to infinity.



Makrolon® Housing
Durable polycarbonate NBR Long Life rubber armoring for a chassis that can withstand 40 Gs of impact.

THE IDEAL COMPANION FOR SKILLED HUNTERS ON THE MOVE: COMPACT, VERSATILE, TOUGH AS A ROCK AND LIGHT AS A BREEZE. IT'S THE BEST OF GERMAN PRECISION AND PERFORMANCE.

PREDATOR 10X26

10x power for great long-range detail, perfect for wide-open country and hilly regions with scattered game.

ITEM NO. S2442



PREDATOR 8X42

From close up to far away, this mid-sized binocular delivers bright, crisp images without added bulk or weight.

ITEM NO. S2443



PREDATOR 10X42

An all-around favorite. Versatile enough for Western big game hunters or Eastern whitetail hunters.

ITEM NO. S2444



PREDATOR SERIES OVERALL FEATURES

- OPTIMIZED LIGHT TRANSMISSION
- CAT™ LENS COATINGS
- LIGHTWEIGHT DESIGN
- FAST-CLOSE-FOCUS™
- MAKROLON® HOUSING
- WATERPROOF & FOGPROOF
- SHOCKPROOF
- CLICLOC® SYSTEM

SPECIFICATIONS

	PREDATOR SERIES		
	10x26	8x42	10x42
ITEM NUMBER	S2442	S2443	S2444
OBJECTIVE DIAMETER (MM)	26	42	42
MAGNIFICATION	10x	8x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	302	381	328
FOCUSING SYSTEM	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™
OPTICS SYSTEM	High Contrast CAT™ Color Adjusted Transmission Coatings	High Contrast CAT™ Color Adjusted Transmission Coatings	High Contrast CAT™ Color Adjusted Transmission Coatings
CLOSE FOCUS (FT.)	10	6	6
EXIT PUPIL (MM)	2.6	5.3	4.2
LUMINOSITY	6.7	27.6	17.6
TWILIGHT FACTOR	16.1	18.4	20.5
EYECUPS	Ergonomic	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Yes	Submersion to 3 ft.	Submersion to 3 ft.
WEIGHT (OZ.)	10.4	26.1	26.5
DIMENSIONS (IN.) (HxWxD)	4.9 x 4.1 x 1.8	6.9 x 4.9 x 2.5	6.9 x 4.9 x 2.5
NECK STRAP	Yes	Neoprene	Neoprene
NECK STRAP ATTACHMENT	Fixed	ClicLoc®	ClicLoc®
OBJECTIVE COVER	-	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes
CARRY CASE	Yes	Yes	Yes
BATTERY	-	-	-
SPECIAL FEATURES	CAT™ Color Adjusted Transmission Coatings	CAT™ Color Adjusted Transmission Coatings	CAT™ Color Adjusted Transmission Coatings
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.



We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

- See full warranty details at www.steineroptics.com/product-warranties
- No warranty card needed.
 - No receipt required.
 - Warranty is fully transferable to future owners of the product.
 - Electronic components are covered by a 3-year warranty.



PREDATOR AF SERIES



**AUTO-FOCUS
VISION FOR
APEX
PREDATORS.**



CAT™ Lens Coatings
Amplifies contrast in the peak human vision sensitivity range, to spot game in any environment.



Easy Auto-Focus
Adjust each eyepiece to your vision once, for sharp, clear images from 20 yards to infinity. No twisting a wheel, no chasing focus on the move, no lost chances.



Wheel-Free Open Bridge
Design reduces bulk and weight for easy carry and handling, a secure grip wet or dry, and more comfortable scouting wherever you hunt.

ONE GLANCE GIVES
YOU DEAD-ACCURATE
PERCEPTION,
WHEREVER YOUR
PREY MAY HIDE.

PREDATOR AF 8X30

Compact, lightweight and Auto-Focus quick for predators on the move. Versatile 8x30 power combines sharp detail and good field of view, while advanced CAT™ lenses pop game from background. Nothing unseen, nothing escapes you.



ITEM NO. S2045

PREDATOR AF SERIES OVERALL FEATURES

- NEXT-GEN TECH FOR THE ULTIMATE HUNTING BINOCULAR
- INSTANT FOCUS AT ANY DISTANCE
- ENHANCED 3D DEPTH AND DETAIL
- CAT™ GAME-SENSING LENSES
- OPTIMIZED LIGHT TRANSMISSION
- LEANER, LIGHTER WHEEL-FREE BRIDGE
- WATERPROOF, FOGPROOF, SHOCKPROOF
- RUGGED MAKROLON® HOUSING
- LASER-ETCHED TEXTURE FOR SECURE GRIP
- DEPENDABLE CLICLOC® SYSTEM

PREDATOR AF 10X42

Closer, wider view for the most demanding hunts, with Auto-Focus to keep vision sharp from 20 yards to infinity. Bright picture and advanced CAT™ lenses pierce shadow and cover to reveal bigger, smarter game other hunters don't see.



ITEM NO. S2046

SPECIFICATIONS

PREDATOR AF SERIES		
	8x30	10x42
ITEM NUMBER	S2045	S2046
OBJECTIVE DIAMETER (MM)	30	42
MAGNIFICATION	8x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	302	381
FOCUSING SYSTEM	Auto-Focus™	Auto-Focus™
OPTICS SYSTEM	High Contrast CAT™ Color Adjusted Transmission Coatings	High Contrast CAT™ Color Adjusted Transmission Coatings
CLOSE FOCUS RANGE (FT.)	10	6
EXIT PUPIL (MM)	15	16.8
LUMINOSITY	14.06	17.64
TWILIGHT FACTOR	15.49	20.49
EYECUPS	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life
WATERPROOF	Rainproof IPX4	Rainproof IPX4
WEIGHT (OZ.)	19	30.3
TEMPERATURE RANGE	-20 °C to +70 °C	-20 °C to +70 °C
DIMENSIONS (IN.) (HxWxD)	4.7 x 6.5 x 2.1	5.9 x 7.5 x 2.6
NECK STRAP	Comfort Plus	Comfort Plus
NECK STRAP ATTACHMENT	Fixed	Fixed
OBJECTIVE COVER	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes
CARRY CASE	Yes	Yes
BATTERY	-	-
SPECIAL FEATURES	CAT™ Color Adjusted Transmission Coatings	CAT™ Color Adjusted Transmission Coatings
WARRANTY	Heritage™ Warranty	Heritage™ Warranty

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.



We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

- See full warranty details at www.steineroptics.com/product-warranties
- No warranty card needed.
 - No receipt required.
 - Warranty is fully transferable to future owners of the product.
 - Electronic components are covered by a 3-year warranty.

STEINER
Nothing Escapes You

NAVIGATOR PRO SERIES



NEVER COMPROMISE PERFORMANCE JUST BECAUSE IT'S FUN.

HD Stabilized Compass
Integrated fluid damped, illuminated compass it is an accurate and invaluable viewing and navigation tool. Available on the 7x50c only.



100% In-House Optics
Premium lenses and BaK4 prisms have proprietary coatings for unmatched brightness and clarity.



Sports-Auto-Focus™
Focus each eyepiece to your vision once, then keep images razor sharp from 20 yards to infinity. No more chasing focus on moving objects.

SERIOUS OPTICS FOR THOSE WHO TAKE RECREATIONAL TIME ON THE WATER SERIOUSLY, WITH THE CLEAR IMAGE, TOTAL RELIABILITY AND REMARKABLE VALUE STEINER MARINE OPTICS ARE KNOWN FOR.

NAVIGATOR PRO 7X50c

Carries an HD fluid-damped, illuminated analog compass for easy-to-read navigation.

ITEM NO. S7155



NAVIGATOR PRO 7X50

Delivers excellent image clarity, sharp definition and contrast, and oversized light-gathering objective for a bright picture in low light.

ITEM NO. S7655



MARINE 7X50

The perfect first pair of quality, water-going binoculars, for enthusiasts who want the most performance for their money.

ITEM NO. S575



NAVIGATOR PRO AND MARINE SERIES OVERALL FEATURES

- 7X MAGNIFICATION - THE MARINE INDUSTRY STANDARD
- HIGH-CONTRAST OPTICS
- FLOATING PRISM SYSTEM
- SPORTS-AUTO-FOCUS™ SYSTEM
- SHOCKPROOF

SPECIFICATIONS

	Navigator Pro 7x50	Navigator Pro 7x50c	Marine 7x50
ITEM NUMBER	S7655	S7155	S575
OBJECTIVE DIAMETER (MM)	50	50	50
MAGNIFICATION	7x	7x	7x
FIELD OF VIEW AT 1,000 YD. (FT.)	370	370	356
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™
OPTICS SYSTEM	High Contrast	High Contrast	High Contrast
CLOSE FOCUS (FT.)	66	66	66
EXIT PUPIL (MM)	7.1	7.1	7.1
LUMINOSITY	51	51	51
TWILIGHT FACTOR	18.7	18.7	18.7
COMPASS	-	HD Stabilized	-
EYECUPS	Cylindrical	Cylindrical	Cylindrical
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 16 ft.	Submersion to 16 ft.	Yes
WEIGHT (OZ.)	36.3	39.2	36.3
DIMENSIONS (IN.) (HxWxD)	5.5 x 8.1 x 3	5.5 x 8.1 x 3.8	5.5 x 8.1 x 3
NECK STRAP	Neoprene	Neoprene	Comfort
NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®	Standard
OBJECTIVE COVER	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes
CARRY CASE	Yes	Yes	Yes
BATTERY	-	CR1225	-
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.



We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steineroptics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.

COMMANDER SERIES



THE WORLDWIDE
FLAGSHIP
OF MARINE
BINOCULARS.

Digital Worldwide Compass

Available only on the Commander Global is an integrated digital compass with electronic magnetic field measurement and declination adjustment delivers precise readings anywhere in the world.



HD Stabilized Compass

The integrated fluid damped, HD Stabilized illuminated compass with ranging reticle creates one accurate and invaluable navigation tool. Available on the Commander 7x50c only.



THE CHOICE FOR
ANYONE WHO LIVES
ABOARD OR MAKES
THEIR LIVING ON
THE WATER



COMMANDER GLOBAL 7X50

Steiner's finest marine binocular. The integrated digital compass with electronic magnetic field measurement and automatic declination adjustment delivers precise readings anywhere in the world. Experience astounding clarity with Diamond Marine™ lens coatings for outstanding light transmission and high-definition optics.

ITEM NO. S4961

COMMANDER OVERALL FEATURES

- 7X MAGNIFICATION - THE MARINE INDUSTRY STANDARD
- OUTSTANDING COMPASS TECHNOLOGY
- MAKROLON® HOUSING
- DIAMOND MARINE™ OR NANO-PROTECTION® LENS COATINGS
- SPORTS-AUTO-FOCUS™
- MEMORY OCULAR SAVES PERSONAL DIOPTRER SETTINGS
- FOGPROOF & WATERPROOF DOWN TO 33 FEET
- SHOCKPROOF



COMMANDER 7X50c

This military-grade porro prism Commander binocular with HD Stabilized compass is the choice for serious navigation.

ITEM NO. S2305



COMMANDER 7X50

Delivers top-of-the-line image clarity, sharp edge-to-edge definition and contrast, and high light transmission for navigating in low light or fog.

ITEM NO. S2304

SPECIFICATIONS

	Global 7x50 S4961	7x50c S2305	7x50 S2304
OBJECTIVE DIAMETER (MM)	50	50	50
MAGNIFICATION	7x	7x	7x
FIELD OF VIEW AT 1,000 YD. (FT.)	392	438	438
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™
OPTICS SYSTEM	High Definition Diamond Marine™ Coating	High Definition	High Definition
CLOSE FOCUS (FT.)	66	66	66
EXIT PUPIL (MM)	7.1	7.1	7.1
LUMINOSITY	51	51	51
TWILIGHT FACTOR	18.7	18.7	18.7
COMPASS	Worldwide Digital	HD Stabilized	-
EYECUPS	Ergoflex	Ergoflex	Ergoflex
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 33 ft.	Submersion to 33 ft.	Submersion to 33 ft.
WEIGHT (OZ.)	40.5	42	38.4
DIMENSIONS (IN.) (HxWxD)	6.1 x 8.1 x 3.9	6.2 x 8.1 x 3.8	6.2 x 8.1 x 3
NECK STRAP	Floating strap	Floating strap	Floating strap
NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®	ClicLoc®
OBJECTIVE COVER	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes
CARRY CASE	Yes	Yes	Yes
BATTERY	CR2	CR1/3N	-
SPECIAL FEATURES	Steiner Nano Protection®, Precision Reticle	Ranging Reticle, Steiner Nano Protection®	Steiner Nano Protection®
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.



We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steineroptics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.



MILITARY/ MARINE SERIES



**PROVEN ON THE
BATTLEFIELD.
PERFECT FOR
EVERYTHING ELSE.**



Makrolon® Housing
Durable polycarbonate, creates a lightweight, rugged chassis that withstands 11 Gs of impact.



Sports-Auto-Focus™ System
Focus each eyepiece to your vision once, then keeps images razor-sharp from 20 yards to infinity - no more chasing focus on moving targets.



NBR Long Life Rubber Armoring
Durable, shock absorbing rubber that's neither tacky nor spongy. Provides a non-slip grip making it less likely to drop in all weather conditions.

THE CIVILIAN
VERSION OF OUR
PROVEN MILITARY
BINOCULARS,
ADAPTED FOR RUGGED
ALL-AROUND USE. AS
SHARP, CLEAR AND
BATTLE-WORTHY AS
THE WARRIOR MODELS
THEY'RE BASED ON.

**MILITARY/MARINE SERIES
OVERALL FEATURES**

- FLOATING PRISM SYSTEM
- COMPACT DESIGN
- SPORTS-AUTO-FOCUS™ SYSTEM
- MAKROLON® HOUSING



MM1050 10X50

The choice of many State and Federal agencies for field use, the large 50mm objective lenses and powerful 10x magnification makes this a good choice for big game hunters as well.

ITEM NO. S2035



MM750 7X50

Based on the same design as the M22 binoculars chosen by the U.S. Army, the rugged and dependable 7x50 binoculars will stand up a lifetime of civilian use and abuse.

ITEM NO. S2038



MM830 8X30

Light and easy to handle, with for bright images and a wide field of view for steady viewing, even on the move.

ITEM NO. S2034



MM1025 10X25

Similar in style and function to the 8x model, higher magnification pulls in greater detail to distant objects. Lightweight, easy to carry and comfortable to hold.

ITEM NO. S2037



MM825 8X25

A mini-porro prism binocular perfect for sporting events, concerts or just taking in the view. Focus once for your eyes and never miss any of the action.

ITEM NO. S2036

SPECIFICATIONS

	MILITARY / MARINE SERIES				
	MM1050 10x50	MM750 7x50	MM830 8x30	MM1025 10x25	MM825 8x25
ITEM NUMBER	S2035	S2038	S2034	S2037	S2036
OBJECTIVE DIAMETER (MM)	50	50	30	25	25
MAGNIFICATION	10x	7x	8x	10x	8x
FIELD OF VIEW AT 1,000 YD. (FT.)	302	387	362	300	360
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™
OPTICS SYSTEM	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast
CLOSE FOCUS (FT.)	66	65	66	66	66
EXIT PUPIL (MM)	5	7.1	3.8	2.5	3.125
LUMINOSITY	25	51.0	14.1	6.25	9.77
TWILIGHT FACTOR	22.4	18.7	15.5	15.81	14.14
COMPASS	-	-	-	-	-
EYECUPS	Cylindrical	Cylindrical	Cylindrical	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Yes	Yes	Yes	Yes	Yes
WEIGHT (OZ.)	35.3	36	17.1	10.65	10.58
DIMENSIONS (IN.) (HxWxD)	5 x 8.1 x 3	6 x 8 x 2.75	4.2 x 6.7 x 2.2	3.7 x 5.6 x 1.8	3.7 x 5.6 x 1.8
NECK STRAP ATTACHMENT	Comfort	Standard	Comfort	Standard	Standard
OBJECTIVE COVER	Yes	Yes	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes	Yes	Yes
CARRY CASE	Yes	Yes	Yes	Yes	Yes
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.



We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steineroptics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.



T-SERIES




THE FINEST
PROUDLY
SERVING
THE BEST.



Military Grade Rubber Armoring protects chassis and lenses, reduces noise and provides a sure grip in all conditions.



Fast-Close-Focus™ wheel requires less rotation for quick, clear sharpness from close-up to infinity.



SUMR Reticle

UNFAILINGLY RELIABLE
TACTICAL BINOCULARS
FIELD-PROVEN TO
DELIVER SUPERBLY
BRIGHT, ACCURATE
IMAGES IN ANY
SITUATION. WHEN
LIVES ARE ON THE
LINE, THESE ARE ON
THE SCENE.

T-SERIES
OVERALL FEATURES

- COMPACT, LIGHTWEIGHT & STREAMLINED
- HIGH-DEFINITION OPTICS
- FOGPROOF & WATERPROOF DOWN TO 16 FT.
- SHOCKPROOF
- CLICLOC® SYSTEM

10X42r T1042r 10X42r

Features the SUMR targeting reticle system, for a small, light binocular in a power to match newer 10x rifle scopes.

ITEM NO. S6508



10X42 T1042 10X42

10x power and bright image perfect for sniper/spotters, border surveillance, patrol car optics, and tactical ops day and night.

ITEM NO. S6506



10X28 T1028 10X28

10x magnification for more power and performance without sacrificing weight or adding bulk to your field gear.

ITEM NO. S6504



8X24 T824 8X24

Just 12.6 ounces and incredibly compact, with 8x magnification and wide field of view. Perfect for the gear bag.

ITEM NO. S6502



SPECIFICATIONS

	T SERIES			
	T824 8X24	T1028 10X28	T1042 10X42	T1042r 10X42r
ITEM NUMBER	S6502	S6504	S6506	S6508
OBJECTIVE DIAMETER (MM)	24	28	42	42
MAGNIFICATION	8x	10x	10x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	344	266	317	317
FOCUSING SYSTEM	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™	Fast-Close-Focus™
OPTICS SYSTEM	High Definition Tactical Optic	High Definition Tactical Optic	High Definition Tactical Optic	High Definition Tactical Optic
CLOSE FOCUS (FT.)	6	6	6	6
EXIT PUPIL (MM)	3	2.8	4.2	4.2
LUMINOSITY	6.8	7.1	17.6	17.6
TWILIGHT FACTOR	16.1	17.1	20.5	20.5
COMPASS	-	-	-	-
EYECUPS	Ergonomic	Ergonomic	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 6 ft.	Submersion to 6 ft.	Submersion to 6 ft.	Submersion to 6 ft.
WEIGHT (OZ.)	12.6	12.7	26.4	26.7
DIMENSIONS (IN.) (HxWxD)	4.8 x 4.2 x 1.9	5.1 x 4.6 x 1.9	6.6 x 4.9 x 2.5	6.6 x 4.9 x 2.5
NECK STRAP	Neoprene	Neoprene	Neoprene	Neoprene
NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®	ClicLoc®	ClicLoc®
OBJECTIVE COVER	Yes	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes	Yes
CARRY CASE	Gear Bag	Gear Bag	Gear Bag	Gear Bag
SPECIAL FEATURES				SUMF Mil Ranging Reticle
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty

All Steiner riflescopes and binoculars are covered by the Steiner Heritage™ Warranty for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.



- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.

STEINER
Nothing Escapes You



LRF 1700



SPOT YOUR TARGET PLUS SPOT ON RANGING WITH ONE OPTIC.



Steiner Nano-Protection®
Hydrophobic molecular coating creates a lens surface so smooth, water sheets off and dirt, dust are repelled.



Fogproof & Waterproof
For absolute protection, Steiner injects 14-psi pressurized dry nitrogen into its optics for premium clarity.



Shockproof
Lenses and prisms are built into unbreakable binocular housings that are amored to withstand harsh conditions.

**GAME-FINDING
PRECISION OPTICS
AND PINPOINT LASER
RANGING, ALL IN
ONE COMPACT
BINOCULAR.**

8X30 LRF 1700

Hunters prefer Steiner porro prism binoculars for their enhanced three-dimensional depth perception and military-grade toughness. When combined with a fast, accurate laser rangefinder, they quickly become a trusted and practical additional to your hunting gear. Quickly and easily find your target and accurately range out to 1,700 yards without juggling multiple optics.



MAGNIFICATION 8X
WEIGHT 28 OZ. | WIDTH 6.5 IN.
HEIGHT 5.7 IN.
ITEM NO. S2315

LRF 1700 SERIES OVERALL FEATURES

- LASER RANGEFINDER
- SPORTS-AUTO FOCUS™
- STEINER NANO-PROTECTION®
- FOGPROOF & WATERPROOF DOWN TO 16 FEET
- SHOCKPROOF

10X30 LRF 1700

MAGNIFICATION 8X
WEIGHT 28 OZ. | WIDTH 6.5 IN.
HEIGHT 5.7 IN.
ITEM NO. S2316



SPECIFICATIONS

	LRF 1700 8x30 LRF	LRF 1700 10x30 LRF
ITEM NUMBER	S2315	S2316
OBJECTIVE DIAMETER (MM)	30	30
MAGNIFICATION	8x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	354	374
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™
OPTICS SYSTEM	High Definition	High Definition
CLOSE FOCUS (FT.)	66	66
EXIT PUPIL (MM)	3.8	3.0
LUMINOSITY	14	9
TWILIGHT FACTOR	15.5	17.5
EYECUPS	ErgoFlex	ErgoFlex
RUBBER ARMORING	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 16 ft.	Submersion to 16 ft.
WEIGHT (OZ.)	28	28
DIMENSIONS (IN.) (HxWxD)	4.9 x 5.5 x 2.3	4.9 x 5.5 x 2.3
NECK STRAP	Yes	Yes
NECK STRAP ATTACHMENT	Standard	Standard
OBJECTIVE COVER	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes
CARRY CASE	Yes	Yes
BATTERY	CR2	CR2
SPECIAL FEATURES	Laser Rangefinder Measuring Range: 27 to 1,859 Yd.	Laser Rangefinder Measuring Range: 27 to 1,859 Yd.
WARRANTY	Heritage™ Warranty	Heritage™ Warranty

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.



We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

- See full warranty details at www.steineroptics.com/product-warranties
- No warranty card needed.
 - No receipt required.
 - Warranty is fully transferable to future owners of the product.
 - Electronic components are covered by a 3-year warranty.



Riflescope Technology

Over the last decade, Steiner-Optik in Bayreuth, Germany has set the bar in premium rifle optics. Over 460 exacting steps ensure rigorous quality throughout design and manufacture. Relentless innovation creates technologies like the N₂ Injection™ System, Steiner Nano-Protection®, and Neverlost Turrets. No optic will serve you better.



FEATURES:

NEW 7X AND 8X ZOOM SYSTEMS

Steiner now offers 4x up to 8x zoom systems providing the perfect solution for your application. These systems provide maximum range at the high end, wider field of view at the low end, and eliminates any tunneling effect to deliver the best image possible to your eye.

RUGGED CONSTRUCTION

Steiner scope tubes are milled from solid, high-grade aluminum stock so there are no welds or seams, for greater strength and durability. Hunting riflescopes feature 30 mm tubes, while the high-magnification tactical riflescopes boast oversized 34 mm tubes that provide greater elevation and windage adjustment at longer ranges.

BUILT FOR ABUSE

Durability is put to the test to ensure all Steiner riflescopes are fully shockproof to withstand endless abuse from high-powered


calibers. Scopes are impact tested on all optical and electronic components, and can withstand up to 900 Gs of impact.



PRECISION RETICLES

Steiner offers a wide variety of reticles perfectly suited to your hunting, competitive, or tactical shooting adventures. From clean, simple designs for fast-action target shooting, to detailed, precision reticles for long-range shooting, you'll experience premium accuracy with Steiner reticles.

See all our reticle options on page 32 or download the Steiner Reticle Guide at www.steiner-optics.com/download-catalog.



SCR Reticle

DMR8i Reticle

PROPRIETARY LENS COATINGS

The variety of lens coatings, such as CAT™ Color Adjustment Transmission, add strength, protection, and clarity to your Steiner riflescope.

CAT Coating



Before

After



FOGPROOF AND WATERPROOF

For absolute fogproof and waterproof protection, Steiner seals 14-psi pressurized dry nitrogen into its optics, for premium clarity in any condition. Steiner's proprietary N₂ Injection™ System overpressurizes optics with nitrogen and trace helium. If seals are not absolutely tight, hyperbaric testing reveals escaped helium molecules, the optics are disassembled, and the process is repeated.

LIFETIME HERITAGE WARRANTY

The Steiner Heritage Warranty means we stand behind our products. We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.



See full warranty details at www.steiner-optics.com/product-warranties

PRECISION ADJUSTMENT SYSTEMS

Pinpoint accuracy is easily achieved with Steiner windage and elevation adjustment systems. Adjustment clicks are firm and audible. Tactical riflescopes have large, oversized knobs with easy-to-grip designs that allow for positive, non-slip adjustments.



GS3 SERIES



GERMAN ENGINEERED,
AMERICAN MADE
5X VERSATILITY
FOR VIRTUALLY ANY
RIFLE, PLUS CAT™
COLOR ADJUSTED
TRANSMISSION
COATINGS TO PICK
OUT PREY FROM ANY
ENVIRONMENT.

GS3 SERIES OVERALL FEATURES

- 5X ZOOM RANGE
- CAT™ COLOR ADJUSTED TRANSMISSION
- STEINER NANO-PROTECTION®
- FOGPROOF & WATERPROOF
- SHOCKPROOF

Versatile enough for big game, prairie dogs or varmints.



GS3 4-20X50

ITEM NO. S5007 (PLEX S7)

For low-light performance that mounts on most rifles without extra-high rings.



GS3 3-15X50


ITEM NO. S5005 (PLEX S1)

Offers a wide field of view, making it easier to find your target.




GS3 2-10X42

ITEM NO. S5004 (PLEX S1)



PLEX S1 Reticle



PLEX S7 Reticle



Conventional scope



GS3 scope with CAT coating

CAT Coating
(simulated comparison)

SPECIFICATIONS

	GS3		
	2-10x42	3-15x50	4-20x50
ITEM NUMBER	S5004	S5005	S5007
MAGNIFICATION	2-10x	3-15x	4-20x
OBJECTIVE LENS DIA.	42 mm	50 mm	50 mm
TUBE DIAMETER	30 mm	30 mm	30 mm
FOCAL PLANE	2nd	2nd	2nd
FIELD OF VIEW @ 100 YD. (FT.) LOW/HIGH	52 - 10.5	36 - 7.5	25.8 - 5.5
EYE RELIEF (IN.) LOW/HIGH	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3
EXIT PUPIL (MM)	12 - 4.2	11 - 3.5	11 - 2.5
LENGTH (IN.)	13.5	14.1	14.9
WEIGHT (OZ.)	18	24	28.2
DIOPTRER ADJUSTMENT RANGE	+2 to -3	+2 to -3	+2 to -3
RETICLE	Plex S1 / 4A	Plex S1 / 4A	Plex S7
ILLUMINATION CONTROL	-	-	-
WINDAGE/ELEVATION ADJUSTMENT KNOB	Resettable Zero	Resettable Zero	Resettable Zero
WINDAGE/ELEVATION CLICK VALUE	1/4 MOA	1/4 MOA	1/4 MOA
WINDAGE RANGE @ 100 M	70 MOA	70 MOA	48 MOA
ELEVATION RANGE @ 100 M	70 MOA	70 MOA	64 MOA
PARALLAX/FOCUS	Fixed	Fixed	Side Focus
PARALLAX/FOCUS RANGE	328 ft.	328 ft.	164 ft. to Infinity
RUBBER ARMORING	-	-	-
NITROGEN FILLED	Yes	Yes	Yes
OPERATING TEMPERATURE RANGE	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F
WATERPROOF/FOGPROOF	Yes	Yes	Yes
BATTERY	-	-	-
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty

All Steiner riflescopes and binoculars are covered by the Steiner Heritage™ Warranty for the lifetime of the product. We will repair or replace the product at no charge to you if it becomes damaged or defective for any reason other than theft or deliberate misuse.




- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.



H4Xi SERIES



LOW LIGHT MASTER FOR ANY HUNT.



Plex S1 Reticle



Lightweight, Sleek Design
One-piece tubes, hard anodized matte finish. Compact length matches up nicely with any rifle.



Low Profile Turrets
Precision adjustments are standard on all Steiner riflescopes. Side-adjust parallax and reticle illumination are easy to access.

HIGH-CONTRAST OPTICS DELIVER CLARITY AT DUSK AND DAWN WITH LIGHT TRANSMISSION GREATER THAN 90%.

A specialist for long-range, high-precision shots even in difficult lighting conditions. Proven performer in challenging hunting situation. Great details at high magnification. Parallax adjustments from 50 m to infinity.



ITEM NO. S5251

H4Xi SERIES OVERALL FEATURES

- HIGH-CONTRAST OPTICS
- WIDER FIELD OF VIEW
- PRECISE ADJUSTMENTS
- LIGHTWEIGHT AND RUGGED
- ILLUMINATED RETICLE

A powerful all-around hunting scope. Lightweight, with a large field of view. High light transmission and precise illumination adjustments delivers perfect performance in any light.



ITEM NO. S5250

SPECIFICATIONS

	H4Xi	
	4-16x56	3-12x56
ITEM NUMBER	S5251	S5250
MAGNIFICATION	4-16x	3-12x
OBJECTIVE LENS DIA.	56 mm	56 mm
TUBE DIAMETER	30 mm	30 mm
FOCAL PLANE	2nd	2nd
FIELD OF VIEW @ 100 YD. (YDS.) LOW/HIGH	13-3	13-3
EYE RELIEF (IN.)	3.8	3.8
EXIT PUPIL (IN.)	.47 to .18	.47 to .18
LENGTH (IN.)	14.5	13.2
WEIGHT (OZ.)	25	25
DIOPTRER ADJUSTMENT RANGE	-3 to +2	-3 to +2
RETICLE	Plex S1	Plex S1
WINDAGE/ELEVATION CLICK VALUE	1/4 MOA	1/4 MOA
WINDAGE / ELEVATION RANGE @ 100 M	33 in. - 22 in.	33 in. - 33 in.
PARALLAX FREE	54 yards to infinity	100 yards fixed
NITROGEN FILLED	Yes	Yes
TEMPERATURE RANGE	-13° F to +149° F	-13° F to +149° F
WATERPROOF/FOGPROOF	Yes	Yes
WATERPROOF (FT.)	6.5	6.5
BATTERY	CR2032	CR2032
WARRANTY	Heritage™ Warranty	Heritage™ Warranty

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steineroptics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.



Proudly designed, machined and assembled in the USA.




STEINER
Nothing Escapes You


T-SERIES



**GERMAN
PRECISION.
AMERICAN
PRIDE.**



3TR™ Reticle
(5.56 OR 7.62)



SCR™ / SCR™-MOA Reticle



Consistent Eye Relief
A generous eye box eliminates the need to reposition your eye when changing magnification.

THE T5XI SERIES OFFERS THE ULTIMATE IN PRECISION, RUGGEDNESS AND VERSATILITY. THREE MODELS TO MASTER EVERYTHING FROM CLOSE-QUARTERS TO LONG-RANGE.

**T5Xi-SERIES
OVERALL FEATURES**

- 5X ZOOM RANGE
- LOW-PROFILE NEVER-LOST™ TURRETS
- SECOND ROTATION INDICATOR
- ILLUMINATION - 4 NIGHT / 7 DAY LEVELS
- WATERPROOF/ FOGPROOF/ SHOCKPROOF
- LOCKING DIOPTER



T5Xi 5-25X56
Long-range scope with 34 mm tube, illuminated etched glass, front focal plane SCR reticle, low profile, resettable turrets and locking diopter ring.

ITEM NO. S5122 (SCR)



T5Xi 3-15X50
Medium-range scope with 34 mm tube, illuminated etched glass, front focal plane Special Competition Reticle (SCR™), and a Second Rotation Indicator that shows each mil of elevation through the indication window on the elevation turret.

ITEM NO. S5112 (SCR)



T5Xi 1-5X24
Close-combat scope with 30 mm tube, 3-Gun Tactical Reticle™ calibrated in 5.56 or 7.62, true 1x eyes-open capability for situational awareness and 5x power to engage distant targets.

ITEM NO. S5101 (3TR 5.56)

Proudly designed, machined and assembled in the USA.

SPECIFICATIONS

	1-5x24	T5Xi 3-15x50	5-25x56
ITEM NUMBER	S5101	S5112	S5122
MAGNIFICATION	1-5x	3-15x	5-25x
OBJECTIVE LENS DIA.	24 mm	50 mm	56 mm
TUBE DIAMETER	30 mm	34 mm	34 mm
FOCAL PLANE	2nd	1st	1st
FIELD OF VIEW AT 100 YD. (FT.) LOW/HIGH	108 - 21	36 - 7.3	21.5 - 4.3
EYE RELIEF (IN.) LOW/HIGH	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3
EXIT PUPIL (MM) LOW/HIGH	11 - 4.8	12 - 3.4	11.2 - 2.3
LENGTH (IN.)	11.3	13.1	16.6
WEIGHT (OZ.)	19.4	29.8	33
DIOPTER ADJUSTMENT RANGE	+2 to -3	+2 to -3	+2 to -3
RETICLE	3TR™ 5.56 / 3TR™ 7.62	SCR™	SCR™
ILLUMINATION CONTROL	Illuminated Reticle with 4-Night/7-Day Levels	Illuminated Reticle with 4-Night/7-Day Levels	Illuminated Reticle with 4-Night/7-Day Levels
ELEVATION ADJUSTMENT KNOB	Resettable Zero	Resettable Zero	Resettable Zero
WINDAGE/ELEVATION CLICK VALUE	1 cm (0.1 mrad)	1 cm (0.1 mrad)	1 cm (0.1 mrad)
WINDAGE RANGE @ 100 M	300 cm (30 mils)	150 cm (15 mils)	150 cm (15 mils)
ELEVATION RANGE @ 100 M	300 cm (30 mils)	340 cm (34 mils)	260 cm (26 mils)
PARALLAX/FOCUS	Fixed	Side Focus	Side Focus
PARALLAX/FOCUS RANGE	100 yd.	25 yd. to Infinity	50 yd. to Infinity
NITROGEN FILLED	Yes	Yes	Yes
OPERATING TEMP. RANGE	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F
LENS CAPS	Yes	Yes	Yes
WATERPROOF/FOGPROOF	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.
BATTERY	CR2450	CR2450	CR2450
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.



We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steineroptics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.

STEINER
Nothing Escapes You



P-SERIES



GIVE YOURSELF
THE CLEAR
ADVANTAGE.




Proudly designed, machined
and assembled in the USA.

DESIGNED FOR
PATROL AND TACTICAL
OPERATIONS, THE
RUGGED P4XI SCOPES
OFFER CLEAR IMAGES
AND A FAST-ACTION
RETICLE TO TACKLE
EVERY DAY USE OR
SUDDEN ACTION.

P4Xi-SERIES OVERALL FEATURES

- COMPACT & LIGHTWEIGHT DESIGN
- HIGH CONTRAST OPTICS
- WIDE FIELD OF VIEW
- P3TR ILLUMINATED RETICLE



The P3TR Reticle:
Designed for tactical rifles and CQB situations. The reticle is calibrated for 5.56 mm and 7.62 mm with stadia allowing you to confidently shoot to 600 yards.

Offers daylight viewable illumination with 11 intensity settings: 4 night, 5 day and 2 night vision levels. Includes an "off" position between all 11 settings



OPTIC OF THE YEAR!

The Steiner P4Xi won the NRA's Shooting Illustrated Optic of the Year for 2018. "Lightweight and easy to use, the Steiner P4Xi 1-4x24 scope will be a first-rate choice for patrol rifles and AR platforms. You can't ask much more from a quality piece of tactical shooting glass."

Close-combat scope with 30 mm tube, generous field-of-view and new P3TR illuminated reticle for fast target acquisition.



ITEM NO. S5202

SPECIFICATIONS

	P4Xi
	1-4x24
ITEM NUMBER	S5202
MAGNIFICATION	1-4x
OBJECTIVE LENS DIA.	24 mm
TUBE DIAMETER	30 mm
FOCAL PLANE	Second
FIELD OF VIEW AT 100 YD. (FT.) LOW/HIGH	110-27.5
EYE RELIEF (IN.) LOW/HIGH	3.5 -4.0
EXIT PUPIL (MM) LOW/HIGH	12.0 - 6.0
LENGTH (IN.)	10.3
WEIGHT (W/O CAPS) (OZ.)	17.3
DIOPTR ADJUSTMENT RANGE	+2 to -3
RETICLE	P3TR™
ILLUMINATION CONTROL	Rotary Dial
ELEVATION ADJUSTMENT	.5 MOA
WINDAGE ADJUSTMENT	.5 MOA
WINDAGE RANGE @ 100 M	100 MOA
ELEVATION RANGE @ 100 M	100 MOA
PARALLAX/FOCUS	Fixed
PARALLAX/FOCUS RANGE	100 yd.
NITROGEN FILLED	Yes
OPERATING TEMP. RANGE	-13°/ to +145° F
LENS CAPS	No
WATERPROOF/FOGPROOF	Submersible to 33 Ft
BATTERY	CR2032
WARRANTY	Heritage™ Warranty

RINGS



ONLY RINGS
WORTHY
OF THE
STEINER
NAME.

STEINER RINGS ARE
THE FOUNDATION
OF A PRECISION
SHOOTING SYSTEM.
DESIGNED AND
ENGINEERED TO
GUARANTEE
PRECISE OPTICAL
ALIGNMENT AND
SHOT-AFTER-SHOT
ACCURACY.



T-Series Rings

Steiner T-Series Rings offer the perfect riflescope mounting solution for precision shooting.

SPECIFICATIONS

	S5960	S5961	S5962	S5963	S5964	S5965	S5966	S5967
SIZE	30 mm	30 mm	30 mm	30 mm	34 mm	34 mm	34 mm	34 mm
HEIGHT	Low	Medium	High	Ex. High	Low	Medium	High	Ex. High
ACTUAL HEIGHT	.885"	1.0"	1.25"	1.35"	.885"	1.0"	1.25"	1.35"
WEIGHT	4.1 oz.	4.3 oz.	5.1 oz.	5.4 oz.	3.8 oz.	4.2 oz.	4.9 oz.	5.2 oz.

STEINER RINGS OVERALL FEATURES

- EASILY MOUNTS TO ANY PICATINNY STYLE RAIL
- DESIGNED FOR 30MM SCOPES
- AVAILABLE IN LOW, MEDIUM AND EXTRA HIGH




H-Series Rings

The new H-Series Rings have a sleek design and rugged, lightweight construction. Perfect for your favorite hunting rifle.

SPECIFICATIONS


	S5957	S5958	S5959
SIZE	30 mm	30 mm	30 mm
HEIGHT	Low	Medium	High
ACTUAL HEIGHT	.85"	1.0"	1.35"
WEIGHT	2.3 oz.	2.6 oz.	3.3 oz.




M-SERIES



**BUILT IN GERMANY.
DESIGNED FOR THE WORLD.**



MSR2 Reticle



G2B Mil-Dot Reticle

THE GERMAN-MADE M-SERIES FEATURES WORLD-CLASS ENGINEERING AND OPTICAL SYSTEMS, BUILT TO STRICT MILITARY SPECIFICATIONS AND PRECISELY CRAFTED FOR VICTORY - ON THE BATTLEFIELD, OR IN COMPETITION.

M5Xi & M6Xi OVERALL FEATURES

- MIL-SPEC
- 5X ZOOM RANGE
- BROADBAND ANTI-REFLECTION COATINGS
- OPTIMIZED EXTERIOR DESIGN
- PRECISE WINDAGE/ELEVATION ADJUSTMENT
- ILLUMINATED RETICLE
- FOGPROOF & WATERPROOF DOWN TO 33 FT.
- SHOCKPROOF



M5Xi 5-25X56

The premier Steiner long-range scope with 34 mm tube, true 25x magnification, etched glass reticle, and DuoScale™ elevation with second-rotation scale that's hidden when inactive.

ITEM NO. 8704090321 - MSR2 | BLACK
ITEM NO. 8709090321 - MSR2 | COYOTE BROWN



M5Xi 3-15X50

Medium-range scope with 34 mm tube, etched glass reticle, and patented DuoScale™ elevation adjustment with a second-rotation scale that's hidden when inactive.

ITEM NO. 8707090321 - MSR2 | BLACK
ITEM NO. 8713090321 - MSR2 | COYOTE BROWN

SPECIFICATIONS

	M5Xi			
	3-15x50	3-15x50	5-25x56	5-25x56
ITEM NUMBER	8707090321	8713090321	8704090321	8709090321
MAGNIFICATION	3-15x	3-15x	5-25x	5-25x
COLOR	Black	Coyote Brown	Black	Coyote Brown
OBJECTIVE LENS DIA.(MM)	50	50	56	56
TUBE DIAMETER	34mm	34mm	34mm	34mm
FOCAL PLANE	1st	1st	1st	1st
FIELD OF VIEW AT 100 YD. (FT.) LOW/HIGH	39.7 - 7.9	39.7 - 7.9	23.6 - 4.6	23.6 - 4.6
EYE RELIEF (IN.) LOW/HIGH	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3
EXIT PUPIL (MM) LOW/HIGH	10.4 - 3.3	10.4 - 3.3	9.8 - 2.2	9.8 - 2.2
LENGTH (IN.)	14.2	14.2	16.6	16.6
WEIGHT (OZ.)	32.5	32.5	36.3	36.3
DIOPTR ADJUSTMENT RANGE	+2 to -3	+2 to -3	+2 to -3	+2 to -3
RETICLE	MSR2	MSR2	MSR2	MSR2
ILLUMINATION CONTROL	Rotary Digital Control with Intermediate Stops	Rotary Digital Control with Intermediate Stops	Rotary Digital Control with Intermediate Stops	Rotary Digital Control with Intermediate Stops
ELEVATION ADJUSTMENT KNOB	Duo Scale™ / Resettable Zero	Duo Scale™ / Resettable Zero	Duo Scale™ / Resettable Zero	Duo Scale™ / Resettable Zero
WINDAGE/ELEVATION CLICK VALUE	1 cm (0.1 mrad)	1 cm (0.1 mrad)	1 cm (0.1 mrad)	1 cm (0.1 mrad)
WINDAGE RANGE @ 100 M	± 60 cm (± 6 mils)	± 60 cm (± 6 mils)	± 60 cm (± 6 mils)	± 60 cm (± 6 mils)
ELEVATION RANGE @ 100 M	260 cm (26 mils)	260 cm (26 mils)	260 cm (26 mils)	260 cm (26 mils)
PARALLAX/FOCUS RANGE	50m to Infinity	50m to Infinity	50m to Infinity	50m to Infinity
NITROGEN FILLED	Yes	Yes	Yes	Yes
OPERATING TEMP. RANGE	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F
LENS CAPS	Yes	Yes	Yes	Yes
WATERPROOF/FOGPROOF	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.
BATTERY	CR2450	CR2450	CR2450	CR2450
SPECIAL FEATURES	Resettable Turrets, Second Rotation Indicator, Zero Stop	Resettable Turrets, Second Rotation Indicator, Zero Stop	Resettable Turrets, Second Rotation Indicator, Zero Stop	Resettable Turrets, Second Rotation Indicator, Zero Stop
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty



The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steineroptics.com/product-warranties


- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.




M-SERIES



**POINT BLANK
IMPACT FOR
LONG RANGE
TARGETS.**



DMR8i Reticle



MSR2 Reticle



Waterproof/Fogproof
Durable construction you can trust to stand up to any conditions. Waterproof to depths of 33 feet.

SHORTER,
LIGHTER, HIGHER-
POWERED AND
MORE VERSATILE,
THESE NEW SCOPES
TAKE LONG-RANGE
PRECISION TO A
WHOLE NEW LEVEL.
YOUR TARGET IS
SHARP, CLEAR AND
AS GOOD AS DRILLED,
NO MATTER WHEN
OR WHERE.

**M7Xi & M8Xi
OVERALL FEATURES**

- NEW 7X / 8X ZOOM RANGES
- LOW PROFILE TURRETS
- SHORTER OVERALL LENGTH
- EXTENDED RANGE AND GREATER FIELD-OF-VIEW

4-28X56 M7Xi 4-28X56



The 7x zoom gives the operator more flexibility and higher resolution for all distances

ITEM NO. 8719090321 - MSR2 | BLACK
ITEM NO. 8720090321 - MSR2 | COYOTE BROWN

1-8X24 M8Xi 1-8X24



Building on the success of the M5Xi 1-5, the new M8Xi 1-8x24 has a shorter overall length leaving more rail space for mounting laser aiming, thermal imaging or night vision devices.

ITEM NO. 8723090426 DMR8i | BLACK

SPECIFICATIONS

	M7Xi 4-28x56	M7Xi 4-28x56	M8Xi 1-8x24
ITEM NUMBER	8719090321	8720090321	8723090426
MAGNIFICATION	4-28x	4-28x	1-8x
OBJECTIVE LENS DIA. (MM)	56 (2.2 in)	56 (2.2 in)	24 (0.94 in)
TUBE DIAMETER (MM)	34	34	34
EYE RELIEF (IN)	3.54 (90 mm)	3.54 (90 mm)	3.54 (90 mm)
FIELD OF VIEW AT 100 M	9 - 1.42 m	9 - 1.42 m	32 - 4.5m
DIOPTR ADJUSTMENT	-2 to +2	-2 to +2	-2 to +2
PARALLAX ADJUSTMENT	50m to infinity	50m to infinity	Fixed @ 100m
COLOR	Black	Coyote Brown	Black
LENGTH (IN.)	15.2	15.2	10.8
WEIGHT (OZ.)	33.5	33.5	26.5
OPERATING TEMPERATURE	-40-+160°F	-40-+160°F	-40-+160°F
RETICLE OPTIONS	MSR2	MSR2	DMR8i
ELEVATION RANGE @ 100 M	260 cm / 26 mils	260 cm / 26 mils	260 cm / 26 mils
WINDAGE RANGE @ 100 M	60 cm	60 cm	60 cm
WINDAGE ELEVATION CLICK VALUE	1 cm (0.1 mrad)	1 cm (0.1 mrad)	1 cm (0.1 mrad)
BATTERY	CR2032	CR2032	CR2032
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.



We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.



STEINER 
Nothing Escapes You

M-SERIES IFS




INTELLIGENT FIRING SOLUTION WITH HEADS UP DISPLAY.

NO ACCURACY-KILLING DISTRACTION. JUST RAZOR-SHARP, SMART-TECH FOCUS ON ALL THAT MATTERS: THIS. ONE. SHOT.

M-SERIES IFS OVERALL FEATURES

- BUILT-IN BALLISTIC CALCULATOR AND SENSOR SUITE
- HEADS UP DISPLAY OF FIRING SOLUTION
- DISPLAY AND USER INTERFACE
- BLUETOOTH CONNECTIVITY
- PRECISE WINDAGE/ELEVATION ADJUSTMENT
- OPTIMIZED TUBE AND KNOB CONFIGURATION
- WATERPROOF / FOGPROOF / SHOCKPROOF
- CUSTOM APP FOR PROGRAMING SIGHT AND DISPLAY



Customized Display
A sophisticated user Interface presents the precise firing solution in your field of view.

SPECIFICATIONS

ITEM NUMBER	8719093721
MAGNIFICATION	4-28x
OBJECTIVE LENS DIA.(MM)	56 (2.2 in.)
TUBE DIAMETER	34mm
EYE RELIEF (IN.)	3.54 (90 mm)
FIELD OF VIEW AT 100 M	9 - 1.42m
DIOPTR ADJUSTMENT	-2 to +2
PARALLAX ADJUSTMENT	Side Focus
LENGTH (IN.)	15.4
WEIGHT (OZ.)	40.6
OPERATING TEMPERATURE	according to MIL STD 810G
RETICLE	MSR2
ELEVATION RANGE @ 100M	260 cm / 26 mils
WINDAGE RANGE @ 100M	± 60cm / 6 mils
WIND/ELEVATION CLICK VALUE	1 cm (0.1 mrad)
WATERPROOF	20 m (66 ft.)
NITROGEN FILLED	Yes
BATTERY	1 x AA /CR2032
WARRANTY	Heritage™ Warranty

ITEM NO. 8719093721 - MSR2 IFS | BLACK



Intelligent Firing Solution with integrated customizable display provides all the important information in real time to the operator.

DRS1X



ENGINEERED FOR SPEED SIMPLICITY AND ACCURACY.

THE NEW DRS1X LIVES UP TO ITS NAMESAKE WITH RAPID AND LETHAL TARGET ENGAGEMENT AT CLOSE QUARTERS

DRS1X OVERALL FEATURES

- RUGGED MAGNESIUM BODY
- CHOOSE FROM 3 RETICLE OPTIONS
- SEVEN ILLUMINATION LEVELS (4 DAY/3 NIGHT)
- ADJUSTABLE FOR WINDAGE/ELEVATION
- WATERPROOF/FOGPROOF/SHOCKPROOF
- POWERED BY TWO (2) AA BATTERIES, BUT CAN OPERATE ON ONE
- 2000+ HOURS OF BATTERY RUN TIME
- 13-HOUR AUTO SHUTOFF
- CO-WITNESS WITH STANDARD, A2-HEIGHT IRON SIGHTS, OR USE ANY MAGNIFIER

The **Defendu Reflex Sight** is so versatile and effective at close range, we've named it after the famed Lt. Colonel William Ewart Fairbairn, whose Close Quarters Combat system was designed to rapidly disable an opponent with potentially lethal force.

Perfect for tactical operations or home defense, the 1x reflex sight offers three reticles calibrated for speed and accuracy at 7, 25 and 50 yards.



Proudly designed, machined and assembled in the USA.

2 MOA Dot

50 yards

25 yards

C2 Reticle
Three Modes

(1" diameter)

7 yards

DRS1X

The ultimate CQB sight, it is built with Steiner's legendary ruggedness. Lightweight, compact and simple to use.



HEIGHT 10.40 IN. | LENGTH 3.88 IN. | WEIGHT 10.40 OZ.
ITEM NO. S8503


SPECIFICATIONS

ITEM NUMBER	S8503
WINDOW SIZE (H/W IN.)	.96 / 1.26
LENGTH (IN.)	3.88
WEIGHT (OZ.)	10.40
HEIGHT (IN.)	2.57
RETICLE	1. Single 2 MOA Dot 2. Dot and Stadia 3. Dot, Stadia & Close Dot
ILLUMINATION	7 Levels - 4 day (7,6,5,4) - 3 night (3,2,1)
WINDAGE/ELEVATION CLICK VALUE	1/2 MOA
TOTAL WINDAGE RANGE	50 MOA
TOTAL ELEVATION RANGE	50 MOA
OPERATING TEMPERATURE	-22° F to 150° F
WATERPROOF DEPTH	5 meters
WATERPROOF & FOG PROOF	YES
BATTERY LIFE	~2800 hours Dot Only
BATTERY	2x AA Batteries
WARRANTY	Heritage Warranty

S-SERIES SIGHTS



**SHORTER,
QUICKER
AND MISSES
NOTHING.**



P7TR Reticle



Waterproof Construction
Submersible to 10 meters (33 ft.)



Find Targets Quickly
With its larger field of view, extended eye relief and generous eye box, target are easy to find and engage.

THIS NEXT-GEN PRISM BATTLE SIGHT HAS IT ALL: WIDER FIELD OF VIEW, LARGER EYE BOX AND EYE RELIEF FOR FASTER ACQUISITION AND SIMPLE OPERATION WITH UNMATCHED OPTICS AND ACCURACY.

The perfect combination of optical quality, field-of-view, eye relief and a large eye box.



OBJECTIVE LENS 32 MM | MAGNIFICATION 4X
LENGTH 5.7 IN. | WEIGHT 25 OZ.
BATTERY CR2032 / 3V
ITEM NO. 8794900125



OBJECTIVE LENS 32 MM | MAGNIFICATION 3X
LENGTH 5.7 IN. | WEIGHT 21.6 OZ.
BATTERY CR2032 / 3V
ITEM NO. 8793900125

**S-SERIES SIGHTS
OVERALL FEATURES**

- 3X OR 4X MAGNIFICATION
- ROTARY DIGITAL CONTROL ILLUMINATION
- LARGE FIELD OF VIEW
- LARGE EYE RELIEF
- LARGE EYE BOX
- DIOPTRER SETTING FROM -3 TO +3
- 100% FOG PROOF
- WATERPROOF / SHOCKPROOF

SPECIFICATIONS

	S432 4x32	S332 3x32
ITEM NUMBER	8794900125	8793900125
MAGNIFICATION	4x	3x
OBJECTIVE LENS	32 mm	32 mm
EXIT PUPIL (MM)	>7 mm	9.5 mm
EYE RELIEF (IN.)	3.15	3.15
LENGTH (IN.)	5.7	5.7
WEIGHT (G / OZ.)	710 / 25	614 / 21.6
FIELD OF VIEW @ 100M	11.8 m (12.9 y)	14.1 m (15.4 y)
RESOLUTION	< 7 in.	< 7 in.
DIOPTRER SETTING	-3 to +3 diopters	-3 to +3 diopters
RETICLE	P7TR Reticle	P7TR Reticle
PARALAX (FOCUS) ADJUSTMENT	Fixed at 100 m (328 ft.)	Fixed at 100 m (328 ft.)
WINDAGE/ELEVATION ADJUSTMENT	± 175 cm @ 100 m	± 175 cm @ 100 m
ADJUSTMENT INCREMENT	1/10 mRad @ 100 m	1/10 mRad @ 100 m
OPERATING TEMPERATURE	-30°C TO +60°C (-22°F TO +140°F)	-30°C TO +60°C (-22°F TO +140°F)
BATTERY	CR2032 / 3V	CR2032 / 3V

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.



We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steineroptics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.

STEINER
Nothing Escapes You



MRS MICRO REFLEX SIGHT



EYES OPEN CONTROL FOR FAST TARGET ACQUISITION.

INTELLIGENT COMBAT SIGHT



ONE ROUND. ONE HIT. NEXT TARGET.

MRS MICRO REFLEX SIGHT

Holographic 3 MOA red dot sight for close-distance situations. With both eyes open, situational awareness is improved and shooting is dot-on-target accurate with either hand.

WEIGHT 2.47 OZ. | LENGTH 1.89 IN.
WIDTH 1.81 IN. | HEIGHT 1.57 IN. | BATTERY CR1632
ITEM NO. 8700000000 WITH PICATINNY MOUNT
ITEM NO. 8700000003 WITH UNIVERSAL MOUNT

The 1x holographic **MRS Micro Reflex Sight** lets operators engage targets with both eyes open, for wider peripheral vision, greater situational awareness, and faster response—critical when engaging moving targets. The 3 MOA red dot is easy to find and quick to aim, ensures either-hand shooting accuracy, and won't obscure targets at longer distances. At only 2.5 oz., the low-profile MRS is well-balanced on any shooting platform, giving shooters the quickness, confidence, and accuracy to control the outcome.

THE LOW-PROFILE MRS IS WELL-BALANCED ON ANY SHOOTING PLATFORM, GIVING SHOOTERS THE QUICKNESS, CONFIDENCE, AND ACCURACY TO CONTROL THE OUTCOME.

MRS OVERALL FEATURES

- **1X MAGNIFICATION FOR BOTH-EYES-OPEN CAPABILITY.**
- **ACCURACY WITH EITHER HAND REGARDLESS OF EYE DOMINANCE.**
- **FULLY ADJUSTABLE WITH 1 MOA CLICK ADJUSTMENT.**
- **AUTOMATIC OR MANUAL BRIGHTNESS CONTROLS FOR DAY/NIGHT OPERATIONS**
- **ONE CR1632 BATTERY PROVIDES 550 HOURS OF OPERATION.**

SPECIFICATIONS

MRS	
ITEM NUMBER	8700000000/ 8700000003
MAGNIFICATION	1x
WINDOW SIZE (H/W IN.)	-
LENGTH (IN.)	1.89
WEIGHT (OZ.)	2.5
HEIGHT (IN.)	
RETICLE	3 MOA Dot
ILLUMINATION	Auto Brightness Control + Manual
WINDAGE/ELEVATION CLICK VALUE	1 MOA
TOTAL WINDAGE RANGE	90 MOA
TOTAL ELEVATION RANGE	90 MOA
OPERATING TEMPERATURE	13°F to +131°F
WATERPROOF/FOGPROOF	Submersible to 33 ft.
BATTERY	CR 1632
SPECIAL FEATURES	with Picatinny Mount / with Universal Mount
WARRANTY	Heritage Warranty


The ICS Intelligent Combat Sight integrates a laser rangefinder and a ballistic calculator into a rugged, compact tactical weapons sight for increased accuracy, greater first-round hit probability, and shorter time of engagement.



ITEM NO. 8790909211

SPECIFICATIONS

ICS	
ITEM NUMBER	8790909211
MAGNIFICATION	6x
OBJECTIVE LENS DIAMETER	40 mm
FIELD OF VIEW @ 100 YD. (FT.) LOW/HIGH	348
EYE RELIEF (IN.) LOW/HIGH	28.7 - 31.5
EXIT PUPIL (MM)	5.7
LENGTH (IN.)	7.86
WEIGHT (OZ.)	27.9
RETICLE	38 Dot OLED
ILLUMINATION CONTROL	4 Steps (Dimmable)
WINDAGE/ELEVATION CLICK VALUE	1/2 MOA
WINDAGE RANGE @ 100 M	± 50 MOA
ELEVATION RANGE @ 100 M	± 50 MOA
PARALLAX/FOCUS	Fixed at 100 m (328 ft.)
OPERATING TEMPERATURE RANGE	-13° F to +149° F
WATERPROOF/FOGPROOF	Submersible to 33 ft.
BATTERY	CR123A
NITROGEN FILLED	Yes
MOUNT	MIL-STD 1913
WARRANTY	Heritage™ Warranty



At the push of a button, an eye-safe laser instantly provides distance to the target and an illuminated, trajectory-compensated aiming point based on ammunition ballistics, measured distance, and angle to your target out to 800 meters. As a true electro-optical aiming device, it combines combat-optimized technology, operating simplicity in the field, and the targeting effectiveness to give small-caliber weapons oversized clout.

INTELLIGENT COMBAT SIGHT OVERALL FEATURES

- **ONBOARD COMPUTER FOR AMMUNITION-SPECIFIC TARGETING**
- **ILLUMINATED RETICLE WITH BRIGHT RED AIMING DOT**
- **BUILT-IN INCLINOMETER COMPENSATES FOR STEEP ANGLES**
- **FULLY ADJUSTABLE WINDAGE & ELEVATION**
- **SHOCKPROOF & WATERPROOF DOWN TO 10 METERS**
- **FIXED IRON SIGHTS LOCATED ON THE RIGHT-HAND SIDE OF THE ICS AT A 15° ANGLE, PROVIDING A BACKUP SIGHTING OPTION.**
- **EASY-TO-USE QUICK DETACH MOUNT ALLOWS FOR FAST REMOVAL AND MOUNTING ON MULTIPLE PLATFORMS.**
- **ALLOWS YOU TO MOUNT A 1X OPTIC ON TOP OF THE ICS USING THE PICATINNY RAIL FOR EVEN GREATER VERSATILITY.**
- **SOPHISTICATED TARGETING TECHNOLOGY IS RUGGED, INTUITIVE, AND EASY TO USE.**
- **RED DOT INDICATES PRECISE POINT OF AIM FOR YOUR SPECIFIC CARTRIDGE AND DISTANCE.**

T-SERIES AR MOUNT



YOUR PERFECT MOUNTING SOLUTION.

T-Series AR Mount

THE STEINER T-SERIES CANTILEVER MOUNT OFFERS THE PERFECT MOUNTING SOLUTION FOR AR-15 AND FLATTOP PLATFORMS. MACHINED FROM RUGGED ALUMINUM ALLOY TO BE INCREDIBLY STRONG, YET LIGHTWEIGHT.

This cantilevered mount combines ruggedness, lightweight, and adaptability to be the perfect addition to your platform



ITEM NO. S5970 (30mm diameter, 35mm height)
ITEM NO. S5971 (30mm diameter, 40mm height)

T-SERIES AR MOUNT OVERALL FEATURES

- DESIGNED TO FIT 30MM SCOPES
- AVAILABLE IN TWO HEIGHTS: 35MM AND 40MM
- MOUNTS TO ANY PICATINNY-STYLE RAIL
- DESIGNED TO OFFER PERFECT EYE-RELIEF ON MODERN AR-PATTERN RIFLES
- BUBBLE LEVEL ON THE REAR RING FOR MAXIMUM ACCURACY AND CONSISTENCY


SPECIFICATIONS

T-Series AR Mount

	S5970	S5971
SIZE	30mm	30mm
ACTUAL HEIGHT	1.3"	1.6"
WEIGHT	6.05 oz.	6.5 oz.



Proudly designed, machined and assembled in the USA.



ACCESSORIES

GET THE PROPER ACCESSORIES TO MAXIMIZE THE EFFECTIVENESS OF YOUR STEINER RIFLESCOPE



ANTI-REFLECTION DEVICES (ARD)

Steiner ARDs reduce up to 100% of reflection or "glint" from objective lenses with their honeycomb pattern. Available for M-Series binoculars and M5Xi riflescopes.

ITEM NO. S5901 (3-15X50MM M5XI)
ITEM NO. S5902 (5-25X56MM M5XI)



SUNSHADES

Steiner sunshades help reduce glare and sun reflections off riflescope objective lenses. The black anodized sunshades can be easily attached by screwing onto the objective housing. Available for M5Xi Military riflescopes.

ITEM NO. S5903 (3-15X50MM M5XI)
ITEM NO. S5904 (5-25X56MM M5XI)



THROW LEVER T5Xi / P4Xi

Designed for fast and easy magnification changes from any shooting position with a simple push or pull on the lever. Easy to attach without modifying the power ring.

ITEM NO. S5927



SCOPE COVERS

Scopecoat scope covers are designed to fit Steiner scopes for maximum protection of your Steiner Optic. High quality neoprene/nylon laminate will protect your optic from dust, dirt, dings, scratches, and moisture. Elongated sides allow complete coverage for your turrets.

ITEM NO. S7701 (SCOPE COVER 10.0" X 50MM)
ITEM NO. S7702 (SCOPE COVER 12.5" X 42MM)
ITEM NO. S7703 (SCOPE COVER 15.5" X 60MM)

ADD MORE CONVENIENCE AND COMFORT TO YOUR STEINER BINOCULARS WITH THESE FINE ACCESSORIES



FLOAT STRAP

Padded in a visible yellow, long-lasting waterproof jacket, the Steiner marine binocular Float Strap with ClicLoc® adapts to most marine binoculars and many others.

ITEM NO. S76803
(fits Navigator Pro, Commander and Global Commander 7x50 models)



COMFORT HARNESS


Permits hands-free binocular carry. Raise the binocular to your eyes for quick viewing; return it to your chest when done. Binocular is securely attached to the adjustable harness, and has removable quick-release buckles.

ITEM NO. S7690
(fits all models, except compacts)

RETICLE SPECIFICATIONS


Steiner is one of the largest manufacturers of high-quality optics in the world. Steiner riflescopes are German engineered and made for hunters and precision shooters who demand the best. These scopes are optically and mechanically superior to scopes that cost thousands more.

P7TR



UNIT	mils	UNIT	mils
A	0.5	I	1.6
B	0.4	J	1.8
C	0.25	K	1.87
D	0.8	L	2.2
E	0.81	M	2.8
F	1.0	N	3.21
G	1.1	O	4.95
H	1.4	P	5.0

PLEX S1 RETICLE AND PLEX S1 ILLUMINATED




PLEX S1 LOW MAG

MOD-EL	A	B	W	Wind Dot
2-10x	1.55	3.45	38.2	2.15
3-15x	1.05	2.35	38.2	1.45
4-20x	.75	1.45	38.2	1.1



PLEX S1 HIGH MAG

MODEL	A	B	W	Wind Dot
2-10x	.31	.69	7.64	.43
3-15x	.21	.47	7.64	.29
4-20x	.15	.29	7.64	.22

HORUS TREMOR 3 RETICLE



DMR8i RETICLE




UNIT	A	B	C	D	E	F	G	H	I	J
mrad	0.10	1.00	0.50	0.10	0.08	2.00	10.00	14.00	21.00	14.00
MOA	0.34	3.44	1.72	0.34	0.28	6.87	34.80	51.57	72.20	48.13


SCR RETICLE SUBTENSION

UNIT	5x-25x Mils	MOA
A	1.00	3.44
B	0.50	1.72
C	0.035	0.12
D	0.10	0.34
E	0.25	0.86
F	0.10	0.34
G	0.08	0.28
H	2.00	6.88
I	0.20	0.69
J	0.40	1.38
K	0.60	2.06
L	0.80	2.75
M	0.02	0.07
N	0.03	0.10
O	0.125	0.43

UNIT	3x-15x Mils	MOA
A	1.00	3.44
B	0.50	1.72
C	0.05	0.17
D	0.10	0.34
E	0.25	0.86
F	0.13	0.43
G	0.08	0.28
H	2.00	6.88
I	0.20	0.69
J	0.40	1.38
K	0.60	2.06
L	0.80	2.75
M	0.04	0.14
N	0.04	0.14
O	0.125	0.43




G28 MIL DOT RETICLE SUBTENSION



UNIT	mRad	cm/100m	in /100yd
A	10	100	36
B	0.5	5.0	1.8
C	0.5	5.0	1.8
D	0.2	2.0	0.72
E	0.06	0.6	0.22
F	0.5	5.0	1.8
G	1.0	10	3.6
H	0.06	0.6	0.22
J	0.06	0.6	0.22
K	5.0	50	1.8
L	2.0	20	7.2


3TR/P3TR RETICLE SUBTENSION



UNIT	mRad	cm/100m	in/100 yd
A	0.15	1.5	0.54
B	0.21	2.1	0.76
C	5.000	50	18.00
D	0.21	2.1	0.76
G	1.00	10	3.60

E .5 m @ Indicated Distance
F 5 cm @ Indicated Distance
*200-Yard Zero
*5.56mm NATO 62 gr SS109 @ 3,100 fps
*7.62mm NATO 175 gr M118LR @ 2,580 fps


RAPID DOT 5.56, 7.62 RETICLE SUBTENSION



UNIT	mRad	cm/100m	in /100yd
A	10	100	36
B	0.32	3.2	1.15
C	1.0	10	3.6
D	0.13	1.3	0.47

E .5 m @ Indicated Distance
*100-Yard Zero
*5.56mm NATO 62 gr SS109 @ 3,100 fps
*7.62mm NATO 150 gr FMJ @ 2,750 fps

SCR MOA RETICLE SUBTENSION




RETICLE SUBTENSIONS (in MOA)

Model	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
3-15x	2	1	.17	.5	1	.5	1	-	1.5	2	3	.1	.15	.5	


RETICLE SUBTENSIONS (IN MOA)

Model	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
5-25x	2	1	.12	.5	1	.25	.5	.7	1	1.5	2	3	.07	.11	.35


MSR 2 RETICLE SUBTENSION



UNIT	Mils
A	0.1
B	0.2
C	0.40
D	0.5
E	1.0



C2 RETICLE SUBTENSION



UNIT	MOA
A	18
B	2
C	4
D	27.63
E	13.64

FOR MORE ABOUT THE STEINER RETICLES DOWNLOAD THE STEINER RETICLE GUIDE
www.steiner-optics.com/download-catalog



WWW.STEINERCANADA.CA

CANADA

STOEGER CANADA LTD.
1010 Thornton Road South
Oshawa, Ontario
L1J 7E2
Tel: 905-436-9077
Toll free: 1-800-263-1945



STEINER-OPTICS is a
Beretta Holding company